	Type	L #	Hits	Search Text	DBs
1	BRS	L1	20150	tdm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
2	BRS	L2	7505	1 and stream	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
3	BRS	L3	321	2 and contexts	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
4	BRS	L4	215	3 and buffers	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
5	BRS	L5	143	4 and priority	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	107	5 and empty	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
7	BRS	L7	107	6 and sequence	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
8	BRS	L8	92	7 and mapping	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
9	BRS	L9	1	8 and refill	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
10	IS&R	L10	0	("9andrequests").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
11	BRS	L11	0	8 and requestd	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
12	BRS	L12	62	8 and requests	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
13	BRS	L13	61	12 and serial	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB